

# Service Center 11 Test List

## PC

### Windows Diagnostics

#### Storage

- **Blu-Ray Drive**
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
  - Read Performance
- **BD-R Drive**
  - Read/Write
- **BD-RE Drive**
  - Read/Write
- **Removable Storage**
  - Pattern
  - Linear Read
- **CD-ROM Drive**
  - CD Audio
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
  - Read Performance
- **CD-R Drive**
  - Read/Write
- **CD-RW Drive**
  - Read/Write
- **DVD Drive**
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
  - Read Performance
- **DVD+R DL Drive**
  - Read/Write
- **DVD-R DL Drive**
  - Read/Write
- **DVD+R Drive**
  - Read/Write
- **DVD-R Drive**
  - Read/Write
- **DVD-RAM Drive**
  - Funnel Seek
  - Linear Seek
  - Pattern
  - Random Seek
  - Linear Read Compare
  - Read Performance
- **DVD+RW Drive**
  - Read/Write
- **DVD-RW Drive**
  - Read/Write
- **OBIST Drive**
  - DRAM
  - Flash ROM
  - Main IC
  - Opu
  - Spindle
  - Tray In
  - Tray Out
- **Floppy Drive**
  - Funnel Seek
  - Linear Seek
  - Pattern
  - Random Seek
  - Linear Read
- **Hard Drive**
  - Linear Seek
  - Random Seek
  - Funnel Seek
  - Linear Read

- Pattern
- Cache
- Targeted Read
- **SCSI Command Set**
  - Self-Test
  - Background Short Self-Test
  - Background Extended Self-Test
- **Solid State Drive**
  - Linear Read
  - Pattern
  - Random Seek
  - Wear Level
  - Intel Wear Level
  - Targeted Read
  - **SCSI Wear Level (NEW)**
- **NVMe Drive**
  - NVMe Status
  - NVMe Wear Level
- **HD DVD Drive**
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
  - Read Performance
- **SMART**
  - Conveyance Self-Test
  - Extended Self-Test
  - Short Self-Test
  - Status
  - Thresholds
- **Tape Drive**
  - Backup
  - Linear Seek
- **Zip Drive**
  - Pattern
  - Linear Read

## System

- **PCMCIA Bridge**
  - Status
- **CardBus Bridge**
  - Status

- **IEEE 1394**
  - Bus Reset
  - Config ROM
- **Battery**
  - Life
  - Status
- **CMOS**
  - Checksum
  - Pattern
- **CPU**
  - Level 2 Cache
  - Math Register
  - MMX
  - Register
  - SSE
  - SSE2
  - SSE3
  - SSSE3
  - SSE4A
  - SSE4.1
  - SSE4.2
  - AVX
  - AVX2
  - Stress
  - Floating Point Unit
  - Prime Number Generation
- **Memory**
  - Address
  - Advanced Pattern
  - Auxiliary Pattern
  - Bit High
  - Bit Low
  - Checkerboard
  - Modulo20
  - Moving Inversion
  - Nibble Move
  - Walking One Left
  - Walking One Right
  - Windows Memory
- **Parallel Port**
  - External Read and Write
  - Internal Read and Write

- **PCI Express**
    - Status
  - **PCI**
    - Configuration
  - **Smart Card**
    - APDU
    - Answer To Reset
    - Card Attributes
  - **Serial Port**
    - External Loopback
    - External Register
    - Internal Control Signals
    - Internal Register
    - Internal Send and Receive
  - **System Board**
    - RTC Accuracy
  - **USB**
    - Status
  - **USB Ports**
    - Status
  - **Standby/Hibernate**
    - Standby Test
    - Hibernate Test
- Transformation and Lighting Stress
  - Wireframe Stress
  - Fixed Transformation and Lighting
  - Wireframe Line
  - Primary Surface
  - Thermal Cycle
  - Video Memory
  - Address Fault
  - Standard Mathematical Operations
  - Block Move
  - Memory Fault
  - Modulo X
  - Moving Inversion
  - Own Address
  - Pattern
  - Random Number Sequence
  - Advanced Mathematical Operations
  - SLI

## Audio

- **Microphone**
  - Microphone Interactive Test
- **Sound Card**
  - Rough Audio
  - Playback Mixer State
  - Sound Interactive Test

## Video

- **Video Card**
  - Multiple Rendering DX9
  - Shader Rendering DX10
  - Shader Rendering DX11
  - Wireframe Shader Rendering
  - Shader Rendering
  - Stereo 3D Rendering
  - GPU Pipeline Data
- **Video Capture**
  - TV Signal
  - Capture To Screen
  - Capture To File
  - FM Radio
  - Digital TV Signal
  - Clear QAM Digital Tuner Signal
- **WebCam**
  - Capture To Screen
  - Capture To File
  - RGB Pixel
  - RGB Line Driver
  - RGB Channel
  - RGB Line Amplifier
  - RGB Color Depth
  - Luminance
  - Edge Detection
- **Video Ports**
  - Video Ports Interactive
- **AVI**
  - AVI Interactive
- **Monitor**
  - Monitor Interactive
  - EDID Checksum

- **Touch Screen**
  - Calibration
  - Coverage
  - Multi-Touch
- **RealSense 3D Camera**
  - RealSense 3D Camera Interactive

## Communications

- **Modem**
  - Dial Tone
  - Fax Command
  - Last Call
  - Modem Loopback
  - Modem Self-Testing Loopback
- **Network Card**
  - Network Cable
  - Network External Loopback
  - Network Link
  - TCP/IP Internal Loopback
  - Local Network Communication
  - Wireless Connectivity
  - Wireless Signal Strength
  - Internet Communication
  - Signal Strength
  - Data Transfer Verification
  - Intel Network Combination
- **Bluetooth Port**
  - Bluetooth Interactive Test
- **Mobile Broadband**
  - Connectivity
  - Signal Strength
- **Near Field Communication (NFC)**
  - NFC Read
  - NFC Write

## Sensor Devices

- **Biometrics Camera (NEW)**
  - Face Detection (NEW)
- **GPS**
  - Communication
  - Lock

- Interactive
- **Fingerprint Reader**
  - Swipe
- **Ambient Light Sensor**
- **Accelerometer**
- **Magnetometer**
- **Gyrometer**
- **Eye Tracker (NEW)**

## Other Devices

- **Joystick**
  - Joystick Interactive
- **Keyboard**
  - Keyboard Interactive
- **Mouse**
  - Mouse Interactive
  - Touchpad
  - TrackPoint
- **Printer**
  - Printer Interactive
- **Digitizer Stylus**
  - Corners (NEW)
  - Pressure (NEW)
  - Stylus Barrel Switch (NEW)
  - Stylus Eraser (NEW)
- **AlienFX LED Verification**
  - AlienFX LED Verification Interactive
- **Lid Closure**
  - Lid Closure Interactive

## DOS Diagnostics

### Storage

- **Diskette Drive**
  - Hi-Low Seek
  - Funnel Seek
  - Track to Track Seek
  - Random Seek
  - Linear Verify
  - Random Verify
  - Linear Write/Read
  - Linear Write/Random Read
  - Random Write
- **Fixed Disk**
  - Controller
  - Funnel Seek
  - Random Seek
  - Linear Verify
  - Random Verify
  - SMART Status Check
  - SMART Self-Test Short
  - SMART Self-Test Long
  - SMART Conveyance
  - SMART Attribute Check
  - Inner/Outer Surface Read
  - Read Surface Scan
  - Write Surface Scan
  - Drive Cache
  - Spin Down/Spin Up
- **Optical Drive Scan**
  - Insert Media
  - Linear Seek
  - Random Seek
  - Funnel Seek
  - Remove Media
- **Optical Drive Write**
  - CD-RW Drive
  - DVD-RW Drive
  - DVD+RW Drive
  - DVD-RAM Drive
  - HD DVD-RAM Drive

- BD-RE Drive
- **SCSI Fixed Disk**
  - Controller
  - Funnel Seek
  - Track To Track Seek
  - Random Seek
  - Linear Verify
  - Random Verify
  - Read Surface Scan
  - Write Surface Scan
  - Short Self-Test
  - Extended Self-Test
  - Inner/Outer Read Surface Scan
  - Spin Down/Spin Up Test

### System

- **CPU/CoProcessor**
  - CPU Registers
  - CPU Arithmetics
  - CPU Logical Operations
  - CPU String Operations
  - CPU Misc Operations
  - CPU Interrupts/Exceptions
  - CPU Buffers/Cache
  - CoProc Registers
  - CoProc Commands
  - CoProc Arithmetics
  - CoProc Transcendental
  - CoProc Exceptions
  - MMX Test
  - SSE
  - SSE2
  - SSE3
  - SSSE3
  - SSE4A
  - SSE4.1
  - SSE4.2
- **System Memory**

- Memory Fault
- Address Fault
- Random Pattern
- Short Advanced Pattern
- Extended Advanced Pattern
- **Parallel Port**
  - Command and Data Port
  - External Loopback and IRQ
- **Serial Port**
  - Registers and Interrupts
  - Internal Loopback
  - External Loopback
  - FIFO Buffers (16550A)
- **System Board**
  - System Timer
  - BIOS Timer
  - IRQ Controller
  - DMA Channels
  - RAM Refresh
  - RTC Clock
  - CMOS RAM
  - Keyboard
  - PCI
  - PCMCIA
  - PCMCIA Detection
  - USB Port
  - USB Port External Loop
  - IEEE1394 Controller
  - SMBus

## Interactive

- **Keyboard**
- **Video**
- **Internal Speaker**
- **Mouse**
- **Diskette**
- **LCD Panel**
- **System Load**

## Utility

- **Edit CMOS RAM**
- **Benchmark System**
- **Memory Debugger**
- **Battery Rundown**
- **Erase Drive Contents**
- **View SMART Logs**
- **View PCDR Host Logs**

## Video

- **Video Adapter**
  - Video Memory
  - Video Pages
  - VGA Controller Registers
  - VGA Color-DAC Registers
  - VESA Full Video Memory
  - AGP
  - PCI Express

## Bootable Diagnostics

### Storage

- **Blu-Ray Drive**
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
- **CD-ROM Drive**
  - CD Audio Digital Extraction
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
- **DVD Drive**
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
- **DVD-RAM Drive**
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
- **Floppy Drive**
  - Funnel Seek
  - Linear Read
  - Linear Seek
  - Pattern
  - Random Seek
- **Hard Drive**
  - Cache
  - Funnel Seek
  - Linear Read
  - Linear Seek
  - Pattern
  - Random Seek
  - Targeted Read
- **SMART**
  - Conveyance Self-Test
  - Extended Self-Test
  - Short Self-Test
  - Status
  - Thresholds
  - Selective Self Test
- **SCSI Command Set**
  - Self-Test
  - Background Short Self-Test
  - Background Extended Self-Test
- **Solid State Drive**
  - Linear Read
  - Pattern
  - Random Seek
  - Wear Level
  - Intel Wear Level
  - Targeted Read
  - **SCSI Wear Level (NEW)**
- **NVMe Drive**
  - NVMe Status
  - NVMe Wear Level
- **DVD Drive**
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
  - Read Performance
- **Removable Storage**
  - Pattern
  - Linear Read
  - Random Read
- **MMC Storage**
  - Linear Read
  - Pattern
  - Random Read
  - Read Speed
  - Read Write Speed

### System

- **IEEE 1394**

- Bus Reset
- Config ROM
- **Battery**
  - AC
  - Life
- **CMOS**
  - Checksum
  - Pattern
- **CPU**
  - Cache
  - MMX
  - Math Register
  - Register
  - SSE2
  - SSE3
  - SSE
  - AVX
  - Stress
- **Memory**
  - Address
  - Advanced Pattern
  - Auxiliary Pattern
  - Bit High
  - Bit Low
  - Checkerboard
  - Modulo20
  - Moving Inversion
  - Nibble Move
  - Walking One Left
  - Walking One Right
  - Pattern
- **Parallel Port**
  - Loopback
  - Register
- **PCI**
  - Configuration
- **PC Card**
  - CIS Validation
- **Serial Port**
  - External Loopback
  - External Register
  - Internal Control Signals

- Internal Register
- Internal Send and Receive
- **System Board**
  - RTC IRQ Accuracy
- **USB**
  - USB Standard Device Requests
  - USB Device Enumeration
  - USB Port Detection
  - Read Speed
  - Read Write Speed
- **IPMI**
  - Chassis Identify
  - Chassis Status
  - Controller Communication
  - Self Test (NEW)

## Audio

- **Microphone**
  - Microphone Recording
- **Sound Card**
  - Midi
  - Surround Sound
  - Wave Test Both
  - Wave Test Left
  - Wave Test Right

## Video

- **Video Card**
  - Video Data
  - Video Memory
  - Video Text
  - AGP Configuration
  - Basic Render (NEW)
- **Monitor**
  - Monitor Interactive
- **Touch Screen (NEW)**
  - Multi-Touch (NEW)
  - Calibration (NEW)
  - Coverage (NEW)
- **Webcam**
  - Capture To Screen



- RGB Pixel
- RGB Line Driver
- RGB Channel
- RGB Line Amplifier
- RGB Color Depth
- Luminance
- Edge Detection

## Communications

- **Modem**
  - Dial Tone
  - Fax Command
  - Modem Loopback
  - Modem Specific
- **Network Card**
  - ICMP Network Communications
  - Network Connectivity
  - Network External Loopback
  - Network Offline Self Test
  - Network Online Self Test
  - Wireless Connection
  - Wireless Scan
- **Intel Network Card**
  - Intel NIC AMT Test
  - Intel NIC EEPROM
  - Intel NIC FIFO
  - Intel NIC IP Security
  - Intel NIC Interrupt
  - Intel NIC Link
  - Intel NIC Loopback
  - Intel NIC Register
  - Virtual LAN
- **Bluetooth Port**
  - Bluetooth Communication
  - Bluetooth Detection

## Other Devices

- **Keyboard**
  - Key Test
- **Mouse**
  - Mouse Test

## Other Utilities

- **Drive Erase**
  - Drive Wipe
  - NVMe Secure Erase
  - NVMe Advanced Secure Erase
  - MMC Secure Erase (NEW)
  - SCSI Sanitize Block Erase (NEW)
  - SCSI Sanitize Crypto Erase (NEW)
  - SCSI Sanitize Overwrite (NEW)
- **Network Configuration Utility**

# Intel-Based Apple Macs

## Bootable Diagnostics

### Storage

- **Blu-Ray Drive**
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
- **CD-ROM Drive**
  - CD Audio Digital Extraction
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
- **DVD Drive**
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
- **DVD-RAM Drive**
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
- **Floppy Drive**
  - Funnel Seek
  - Linear Read
  - Linear Seek
  - Pattern
  - Random Seek
- **Hard Drive**
  - Cache
  - Funnel Seek
  - Linear Read
  - Linear Seek
  - Pattern
  - Random Seek
  - Targeted Read
- **SMART**
  - Conveyance Self-Test
  - Extended Self-Test
  - Short Self-Test
  - Status
  - Thresholds
  - Selective Self Test
- **SCSI Command Set**
  - Self-Test
  - Background Short Self-Test
  - Background Extended Self-Test
- **Solid State Drive**
  - Linear Read
  - Pattern
  - Random Seek
  - Wear Level
  - Intel Wear Level
  - Targeted Read
  - **SCSI Wear Level (NEW)**
- **NVMe Drive**
  - NVMe Status
  - NVMe Wear Level
- **DVD Drive**
  - Funnel Seek
  - Linear Read Compare
  - Linear Seek
  - Random Seek
  - Read Performance
- **Removable Storage**
  - Pattern
  - Linear Read
  - Random Read
- **MMC Storage**
  - Linear Read
  - Pattern
  - Random Read
  - Read Speed
  - Read Write Speed

## System

- **IEEE 1394**
  - Bus Reset
  - Config ROM
- **Battery**
  - AC
  - Life
- **CMOS**
  - Checksum
  - Pattern
- **CPU**
  - Cache
  - MMX
  - Math Register
  - Register
  - SSE2
  - SSE3
  - SSE
  - AVX
  - Stress
- **Memory**
  - Address
  - Advanced Pattern
  - Auxiliary Pattern
  - Bit High
  - Bit Low
  - Checkerboard
  - Modulo20
  - Moving Inversion
  - Nibble Move
  - Walking One Left
  - Walking One Right
  - Pattern
- **Parallel Port**
  - Loopback
  - Register
- **PCI**
  - Configuration
- **PC Card**
  - CIS Validation
- **Serial Port**

- External Loopback
- External Register
- Internal Control Signals
- Internal Register
- Internal Send and Receive

- **System Board**
  - RTC IRQ Accuracy
- **USB**
  - USB Standard Device Requests
  - USB Device Enumeration
  - USB Port Detection
  - Read Speed
  - Read Write Speed
- **IPMI**
  - Chassis Identify
  - Chassis Status
  - Controller Communication
  - Self Test (NEW)

## Audio

- **Microphone**
  - Microphone Recording
- **Sound Card**
  - Midi
  - Surround Sound
  - Wave Test Both
  - Wave Test Left
  - Wave Test Right

## Video

- **Video Card**
  - Video Data
  - Video Memory
  - Video Text
  - AGP Configuration
  - Basic Render (NEW)
- **Monitor**
  - Monitor Interactive
- **Touch Screen (NEW)**
  - Multi-Touch (NEW)
  - Calibration (NEW)

- Coverage (NEW)

- Webcam

- Capture To Screen
- RGB Pixel
- RGB Line Driver
- RGB Channel
- RGB Line Amplifier
- RGB Color Depth
- Luminance
- Edge Detection

## Communications

- Modem

- Dial Tone
- Fax Command
- Modem Loopback
- Modem Specific

- Network Card

- ICMP Network Communications
- Network Connectivity
- Network External Loopback
- Network Offline Self Test
- Network Online Self Test
- Wireless Connection
- Wireless Scan

- Intel Network Card

- Intel NIC AMT Test
- Intel NIC EEPROM
- Intel NIC FIFO
- Intel NIC IP Security
- Intel NIC Interrupt
- Intel NIC Link
- Intel NIC Loopback
- Intel NIC Register
- Virtual LAN

- Bluetooth Port

- Bluetooth Communication
- Bluetooth Detection

## Other Devices

- Keyboard

- Key Test

- Mouse

- Mouse Test

## Other Utilities

- Drive Erase

- Drive Wipe
- NVMe Secure Erase
- NVMe Advanced Secure Erase
- MMC Secure Erase (NEW)
- SCSI Sanitize Block Erase (NEW)
- SCSI Sanitize Crypto Erase (NEW)
- SCSI Sanitize Overwrite (NEW)

- Network Configuration Utility

# Android Devices

## Android Diagnostics

### System

- **Memory**
  - Address
  - Advanced Pattern
  - Auxiliary Pattern
  - Bit High
  - Bit Low
  - Checkerboard
  - Modulo20
  - Moving Inversion
  - Nibble Move
  - Pattern
  - Walking Ones Left
  - Walking Ones Right
- **Battery**
  - Health
  - Temperature
  - USB Charge
- **Buttons**
  - Rotation Lock
  - Volume Keys
- **CPU - ARM**
  - Arithmetic
  - Cache
  - Register
  - Stress
- **CPU - x86**
  - Cache
  - Math Register
  - MMX
  - Register
  - SSE2
  - SSE3
  - SSE
  - Stress
  - AVX
- **PCI - x86**
  - Config
- **Internal Storage**

- Pattern

### Multimedia

- **Video Card**
  - Basic Render
- **Screen**
  - Brightness
  - Pixel
  - Touchscreen
  - Touchscreen Coverage
  - Multi-Touch Touchscreen
  - Video Memory
- **Camera**
  - Camera Flash
  - Camera
  - Edge Detection
  - Luminance Depth
  - RGB Channel
  - RGB Color Depth
  - RGB Line Amplifier
  - RGB Line Driver
  - RGB Pixel
- **Sensors**
  - Accelerometer
  - Gyroscope
  - Ambient Light
  - Magnetic Field Sensor
  - Proximity
  - Vibration
- **Audio**
  - Headset Connectivity
  - Microphone
  - Speaker

### Communication

- **Bluetooth**
  - Communication
  - Detection
- **Mobile**
  - Cell Signal Strength Test
  - SIM Communication

## PC-Doctor Service Center 11 Test List

- SIM Detection
- **GPS**
  - Any Signal
  - Minimum Location Signals
- **NFC**
  - Detection
  - NDEF Read
- **Wireless**
  - Wireless Scan

## Other Utilities

- **Device Factory Reset**

### **PC-Doctor, Inc.**

10345 Professional Circle

Reno, NV 89521

775-336-4000

[www.pcdservicecenter.com](http://www.pcdservicecenter.com)

[sales@pc-doctor.com](mailto:sales@pc-doctor.com)