



PC-Doctor, Inc.

10345 Professional Circle, Ste 183
Reno, NV 89521

Kris

System Information

Operating System	
Host Name	debian
Operating System Name	Linux
Kernel Version	3.8.4-486
Motherboard	
Manufacturer	Dell Computer Corporation
Product	Latitude D800
Serial Number	BKDMJ31
BIOS	
BIOS Version String	A02
BIOS Version	68.101
Release Date	04/25/2003
CPU	
Intel(R) Pentium(R) M processor 1600MHz (CPU:0)	
Name	Intel(R) Pentium(R) M processor 1600MHz
Cores	1
Threads	1
Memory	
Total Usable Memory	496.92 MB
Maximum Supported Memory	1.00 GB
Number of Memory Modules	2
Total Number of DIMM slots	2
Disk Drives	
TOSHIBA MK8032GAX	
Vendor	Toshiba
Model Number	TOSHIBA MK8032GAX
Serial Number	66BG3968T
Firmware Revision	AD002D
Size	74.5 GB
Marketed Size	80 GB
Optical Drives	
PHILIPS CD-RW/DVD-ROM CDD5263	
Model Number	PHILIPS CD-RW/DVD-ROM CDD5263
Firmware Revision	UD91
Batteries	
SMP-SS DELL Y1635	

SAMPLE REPORT

Battery Name	DELL Y1635
Charge Status	Full
Current Charge Percentage	100
Network Cards	
Broadcom Corporation NetXtreme BCM5705M Gigabit Ethernet (Latitude D400)	
MAC Address	00:0D:56:32:41:9A
Network Interface Status	up
Device Driver Name	tg3
Device Driver Version	3.128

Diagnostics and Tools

System Serial Number:

Name: Linux 3.8.4-486 #3 SMP Fri Mar 29 07:56:16 PDT 2013 i686

Test Date: 2014-07-22

Test started: 2014-07-22 12:37:07

Test finished: 2014-07-22 12:41:21

Completed Passes: 1 of 1

Result: **Cannot Run**

Test Descriptions and Results:

IEEE1394NODE:0:424fc00022c9c061h

+ **1394 Bus Reset Test** **Passed** **Pass Count: 1**

+ **1394 Config ROM Test** **Passed** **Pass Count: 1**

Intel(R) Pentium(R) M processor 1600MHz (CPU:0)

Name	Intel(R) Pentium(R) M processor 1600MHz
Cores	1
Threads	1
Signature	695h
Current Speed	1.61 GHz
Multiplier	x 16.0
FSB Speed	401.98 MHz
Technology	0.13 um
Features	CPUID, MMX, SSE, SSE2, FXSR, ACPI, CLFLUSH, PAT, CMOV, MCA, PGE, MTRR, SEP, CMPXCHG8B, MCE, MSR, TSC, PSE, DE, VME, FPU, EST, DS, TM, PBE
L1 Instruction Cache	32.00 kB
L1 Data Cache	32.00 kB
L2 Cache	1.00 MB

Core : 0

Threads	1
---------	---

+ **Register Test** **Passed** **Pass Count: 1**

+ **Cache Test** **Passed** **Pass Count: 1**

+ **Math Register Test** **Passed** **Pass Count: 1**

+ **MMX Test** **Passed** **Pass Count: 1**

+ **SSE Test** **Passed** **Pass Count: 1**


+ **SSE2 Test** **Passed** **Pass Count: 1**

System Memory

Total Usable Memory	496.92 MB
Free Physical Memory	99.25 MB

256 MB DDR (266 MHz)

Memory Size	256.00 MB
-------------	-----------



256 MB DDR (266 MHz)

Memory Size 256.00 MB

Advanced Pattern Test Passed Pass Count: 1

CMOS

Divider Time Base 32.77 kHz
Periodic Interrupt Rate 975 MICROSECONDS

Checksum Test Passed Pass Count: 1

Pattern Test Passed Pass Count: 1

RTC IRQ Accuracy Test Passed Pass Count: 1

LPT:1

Parallel Port IRQ Line 7
Base Address 0x0378

Internal Read and Write Test Passed Pass Count: 1

PCI Subsystem

Configuration Test Passed Pass Count: 1

TOSHIBA MK8032GAX

Vendor Toshiba
Model Number TOSHIBA MK8032GAX
Serial Number 66BG3968T
Firmware Revision AD002D
Size 74.5 GB
Temperature 23 C
Physical Sector Size 512 B
Logical Sector Size 512 B
Logical Sector Count 156301488
Supported Standards ATA/ATAPI-6
ATA/ATAPI-5
ATA/ATAPI-4
ATA-3

Random Seek Test Passed Pass Count: 1

SMART Status Test Passed Pass Count: 1

SMART Short Self Test Passed Pass Count: 1

XVideo:0.0

Video Memory Test Passed Pass Count: 1

Broadcom Corporation NetXtreme BCM5705M Gigabit Ethernet (Latitude D400)

MAC Address 00:0D:56:32:41:9A
Network Interface Status up
Device Driver Name tg3
Device Driver Version 3.128

ICMP Network Communications Test Cannot Run Pass Count: 1

-Cannot Run

Test Started 2014-07-22 12:41:20
Warning Message The network device "eth0" is not in an "UP" and "RUNNING" state and cannot be tested. 2014-07-22 12:41:21
Test Finished Cannot Run 2014-07-22 12:41:21

Snapshots
Differences were not detected.